


Л. В. ВЕТЧИННИКОВА
А. Ф. ТИТОВ
Т. Ю. КУЗНЕЦОВА

Карельская **БЕРЕЗА**

биологические
особенности,
динамика ресурсов
и воспроизводство



Russian Academy of Sciences
Karelian Research Centre
Forest Research Institute
Institute of Biology

L. Vetchinnikova, A. Titov, T. Kuznetsova

**CURLY BIRCH:
biological characteristics,
resource dynamics, and reproduction**

Petrozavodsk 2013

TABLE OF CONTENTS

| | |
|---|------------|
| Introduction | 5 |
| Chapter 1. Curly birch – a valuable plant and a unique biological item | 13 |
| 1.1. Biological characteristics of curly birch | 13 |
| 1.2. The origin of curly birch | 25 |
| 1.2.1. Effects of biotic and abiotic factors | 27 |
| 1.2.2. Effects of genetic factors | 34 |
| 1.3. Causes and presumable mechanisms of figured wood formation | 47 |
| Chapter 2. Curly birch distribution and resources in the countries of Northern, Central and Eastern Europe | 74 |
| Chapter 3. Curly birch in the Republic of Karelia and the experience of its cultivation | 104 |
| 3.1. The history of curly birch studies, and the experience of cultivation | 104 |
| 3.2. Current state of curly birch resources in protected areas | 112 |
| 3.2.1. Northern Onega region (Kondopozhsky and Pronezhsky Districts) | 114 |
| 3.2.2. Southern Onega region (Pronezhsky District) | 129 |
| 3.2.3. Zaonezhsky Peninsula and Kizhi skerries (Medvezhjegorsky District) | 137 |
| 3.3. Current state of curly birch cultivated stands in the Republic of Karelia | 147 |
| 3.4. International experience of curly birch cultivation | 158 |
| Chapter 4. Dynamics of curly birch resources in conditions of environmental change and human impact | 168 |
| 4.1. Characteristic features of curly birch population genetic structure | 168 |
| 4.2. Assessment of genetic diversity of curly birch populations in the Republic of Karelia | 177 |
| 4.2.1. Molecular marking of genus <i>Betula</i> L. genome | 177 |
| 4.2.2. Assessment of genetic diversity of curly birch populations using RAPD- and microsatellite markers | 184 |
| 4.3. Changes in the numbers of curly birch and the reasons of its decline in natural and cultivated stands in the Republic of Karelia | 192 |
| Chapter 5. Reproductive potential of curly birch, and application of modern biotechnologies in its propagation | 211 |
| 5.1. Curly birch reproductive potential: seed and vegetative propagation | 211 |
| 5.1.1. Seed propagation | 213 |
| 5.1.2. Vegetative propagation | 226 |
| | 309 |

| | |
|--|------------|
| 5.2. Application of modern biotechnologies in propagating of curly birch | 235 |
| 5.2.1. Key stages of <i>in vitro</i> clonal micropropagation of curly birch vegetative tissues | 244 |
| 5.2.2. Effect of cytokinin on morpho- and organogenesis in the meristem in tissue culture | 254 |
| 5.2.3. Establishing <i>in vitro</i> clone collections | 259 |
| Conclusions | 267 |
| References | 275 |

L. Vetchinnikova, A. Titov, T. Kuznetsova

CURLY BIRCH: biological characteristics, resource dynamics, and reproduction

The book summarizes the results of years of research on curly (Karelian) birch *Betula pendula* Roth var. *carelica* (Mercklin) Hämet-Ahti, which is known for its valuable figured wood, but has largely lost the naturally reproducing gene pool. Own and published data were used to describe the principal biological characteristics of curly birch, delineate its current distribution range, identify the main factors for their change over the past nearly 100 years. Special focus is on the dynamics of curly birch resources in conditions of environmental change and human impact. Data on the curly birch reproductive potential are provided, and application of modern biotechnology for its propagation and conservation of the genetic diversity are examined. Issues related to the origin of curly birch and the mechanisms behind the formation of figured wood are considered.

For scientists, academics, PhD and degree students of forestry and biological sciences, as well as for researchers and specialists in conservation and reproduction of plant resources.

- Atanasoff D.* Virus stem pitting of birch (Wisa and disease) // Z. Pflanzenkrankh. Pflanzenpathol. Pflanzenschutz. 1967. Bd. 74, N 4. S. 205–208.
- Atkinson M. D.* *Betula pendula* Roth (*B. verrucosa* Ehrh.) and *B. pubescens* Ehrh. // J. Ecol. 1992. Vol. 80. P. 837–870.
- Backeljau T., Bruyn L., Wolf H. et al.* Multiple UPGMA and Neighbor-joining Trees and the Performance of Some Computer Packages // Mol. Biol. Evol. 1996. Vol. 13, N 2. P. 297–308.
- Ballester A., Vieitez A. M.* Factores que afectan la micropropagación del abedal // An. edafol. G agrobiol. 1987. Vol. 46, N 5–6. P. 741–747.
- Bonga J. M.* Vegetative propagation in relation to juvenility, maturity and rejuvenation // Tissue culture in Forestry. London, 1982. P. 387–412.
- Bonham V. A., Barnett J. R.* Abnormalities in the wood of silver birch // http://www.trv.slu.se/eng/research/Poster1_10. 2001.
- Boulay M.* Multiplication et clonage rapide du *Sequoia sempervirens* par la culture *in vitro* // Annales de Recherches Sylvicoles, AFOCEL. Etudes et Recherches. 1979. Vol. 6, N 12. Micropropagation d'Arbres Forestiers. P. 49–56.
- Chalupa V.* *In vitro* propagation of birch (*Betula verrucosa* Ehrh.) // Biol. Plant. 1981a. Vol. 23, N 6. P. 472–474.
- Chalupa V.* Clonal propagation of broad-leaved forest trees *in vitro* // Commun Inst. Forest. Cheh. 1981b. N 12. P. 255–271.
- Chalupa V.* Micropropagation of conifer and broadleaved forest trees // Commun Inst. Forest. Cheh. 1983. N 13. P. 7–39.
- Chalupa V.* European hardwoods // Cell and tissue culture in forestry / Ed. G. M. Bonga, B. J. Durzan. 1987. Vol. 3. P. 224–226.
- Clausen K. E.* Characteristics of hybrid birch and its parent species // Can. J. Bot. 1963. Vol. 41, N 4. P. 441–457.
- Consensus document on the biology of European white birch (*Betula pendula* Roth)* // Series on Harmonisation of Regulatory Oversight in Biotechnology, N. 28. Environment Directorate Organisation for Economic Cooperation and Development. Paris, 2003. 46 p.
- Corden J., Millington W., Bailey J. et al.* UK regional variations in *Betula* pollen (1993–1997) // Aerobiologia. 2000. Vol. 16. P. 227–232.
- Dahl Å. E., Fredrikson M.* The timetable for development of maternal tissues sets the stage for male genomic selection in *Betula pendula* (Betulaceae) // Amer. J. Bot. 1996. Vol. 83. P. 895–902.
- David A.* *In vitro* propagation of *Gymnosperma* // Tissue culture in Forestry. London, 1982. P. 72–104.
- Ditmar O.* *In vitro* regeneration of Curly birch, *Betula pendula* var. *carellica* // Thaiszia. 1991. Vol. 1. P. 119–124.

Dziewolski J. Dziewolski Rola brzozy w krajobrazie przelomowego odcinka Dunajca przez Beskidy // Chrońmy Przyrode Ojczysta. 1960. Vol. 16, N 2. S. 23–28.

Emanuelsson J. The natural distribution and variation of curly birch (*Betula pendula* Roth var. *carelica* (Merkl.) Sok.) in Sweden: Examensarbete i ämnet skogsskötsel. Institutionen för skogsskötsel sveriges lantbruksuniversitet. Umeå, 1999. 54 p.

Emberlin J., Detandt M., Gehrig R. et al. Responses in the start of *Betula* (birch) pollen seasons to recent changes in spring temperatures across Europe // Intern. J. Biometeorol. 2003. Vol. 47. P. 113–115.

Etholén K. Kokemuksia visakoivun kasvatuksesta lapissa // Silva Fenn. 1978. Vol. 12, N 4. S. 264–273.

Etholén K., Huuri L. Visakoivua käsittelevä kirjallisuus // Folia For. 1982. Vol. 502. 24 s.

Ewald D., Naujoks G., Piegert H. Performance and wood quality of *in vitro* propagated hybrid curly birch (*Betula pendula* × *Betula pendula* var. *carelica* Sok.) clones // Silvae Genetica. 2000. Vol. 49, N 2. P. 98–101.

Flora Nordica: Lycopodiaceae – Polygonaceae. V. 1. / Ed. Bengt Jonsell. Stockholm, 2000. P. 197–203.

Freeling M. Toward monitoring specific DNA lesions in the gene by using systems // Environ. Health Perspect. 1981. Vol. 37. P. 13–17.

Furlow J. J. The genera of *Betulaceae* in the southeastern United States // J. Arnold Arbor. 1990. Vol. 71. P. 1–67.

Gardiner A. S. Taxonomy of intraspecific variation in *Betula pubescens* Ehrh., with particular reference to the Scottish Highlands // Proc. Roy. Soc. 1984. Vol. 85, N 1/2. P. 13–26.

General Statistics on Forest Tree Breeding in Finland 2000. Metsätutkimuslaitoksen tiedonantoja 854, 2001. 47 s.

Guo J. J., Zeng J., Zhou S. L., Zhao Z. G. Isolation and characterization of 19 microsatellite markers in a tropical and warm subtropical birch, *Betula alnoides* Buch.-Ham. ex D. Don // Mol. Ecol. Resources. 2008. Vol. 8. P. 895–897.

Haberer G., Kieber J. Cytokinins. New Insights into a Classic Phytohormone // Plant Physiology. 2002. Vol. 128. P. 354–362.

Hagqvist R., Mikkola A. Visakoivun kasvatus ja käyttö. Metsäkustannus Oy, 2008. 168 s.

Hämet-Ahti L., Palmén A., Alanko P., Tigerstedt P. V. A. Suomen puu- ja pensaskasvio. Woody Flora of Finland. Helsinki, 1989. S. 83–87.

Hämet-Ahti L., Palmén A., Alanko P., Tigerstedt P. V. A. Suomen puu- ja pensaskasvio. Woody Flora of Finland. Helsinki, 1992. S. 107–111.

Hamrick J. L. Response of forest trees to global environmental changes // Forest Ecol. Manage. 2004. Vol. 197. P. 323–335.

Hamrick J. L., Godt M. J. W. Conservation genetics of endemic plant species // Conservation genetics: case histories from nature. 1996. P. 281–304.

Hamrick J. L., Mitton J. B., Linhart Y. B. Levels of genetic variation in trees: influence of life history characteristics // Isozymes of north-american forest trees and forest insects / Ed. M. T. Conkle, Report N 48. Pacific SW For. Range Expt. Sta. Tech, 1981. P. 35–41.

Hamrick J. L., Godt M. J. W., Sherman-Broyles S. L. Factors influencing levels of genetic diversity in woody plant species // New Forest. 1992. N 6. P. 95–124.

Heikinheimo O. Visakoivumetsien perustaminen ja kasvattaminen // Suomen metsänhoitoyhdistyksen vuosikirja, 1933. S. 27–46.

Heikinheimo O. Kokemuksia visakoivun kasvatuksesta // Commun. Inst. Forest. Fenn. 1951. Vol. 39, N 5. S. 1–26.

Heikinheimo O. Visakoivun kasvatukseen alkuaajoilta // Visaseuran tiedonantoja. 1958. N 1. S. 1–6.

Hejtmanek G. *Betula pendula* var. *carelica* Socolov v Československu // Preslia. 1957. Vol. 29.

Helms A., Jorgensen C. A. Birkene paa Maglemose i Gribskov // Bot. Tidsskr. 1925. S. 57–134.

Hintikka T. J. Visakoivusta ja sen esiintymisestä // Metsät. Aikak. 1916. Vol. 33, N 11. S. 417–420.

Hintikka T. J. Die «Wisa» – Krankheit der Birken in Finland // Z. Pflanzenkrankh. Gallenk. 1922. Bd. 32. S. 193–210.

Hintikka T. J. Über den Habitus und die Wachstumsart der Wisabirken // Mitt. Deutsch. Dendrol. 1926. Ges. 36, N 1. S. 209–214.

Hintikka T. J. Om masurbjörkarna // Skogsbruket. 1936. Vol. 6, N 1. S. 28–33.

Hintikka T. J. Visakoivuista ja niiden anatomiasta (Helsinki, 1941). Tampere. 2008. 346 s.

Hintikka T. J., Soinne U. T. Curly and flame birch // Wood. 1937. Vol. 2, N 1. P. 27–29.

Hodnebrog T. Valbjørk-produksjon på utvalgte kloner // Fagnytt, Plantedyrking. 1996a. N 3. 6 s.

Hodnebrog T. Utvalg av kloner valbjørk (*Betula pendula* f. *carelica*) // Norsk Landbruks forsking. 1996b. Vol. 10, N 2. S. 101–106.

Hodnebrog T. Selection and Plant Propagation of Clones of Curly Birch (*Betula pendula* f. *carelica*) // Kalelia and Norway: the main trends and prospects of scientific cooperation. Petrozavodsk, 1998. P. 19–23.

Holm S. O. Pollination density – effects on pollen germination and pollen tube growth in *Betula pubescens* Ehrh. in northern Sweden // New Phytol. 1994. Vol. 126. P. 541–547.

Hong S. H., Shim S. Y., Park H. S. et al. In vitro plantlet regeneration from adventitious buds induced on cuttings of peeled twigs of *Betula costata* Traut // Res. Rep. Inst. For. Gen. Korea. 1986. Vol. 22. P. 35–39.

Huhtinen O. Early flowering of birch and its maintenance in plants regenerated through tissue cultures // Acta Horticult. 1976. Vol. 56. P. 243–249.

Huhtinen O. Callus and plantlet regeneration from anther culture of *Betula pendula* (Roth) // 4th Congr. plant tissue and cell culture: Abst. Calgary, 1978. P. 169.

Huhtinen O., Yahyaoglu Z. Das frühe Blühen von aus Kalluskulturen herangezogenen Pflänzchen bei der Birke (*Betula pendula* Roth) // Silva Genet. 1974. Bd. 23, N 1–3. S. 32–34.

Hynynen J., Niemistö P., Viherä-Aarnio A. et al. Silviculture of birch (*Betula pendula* Roth and *Betula pubescens* Ehrh.) in Northern Europe // Forestry: Intern. J. Forest Res. 2010. Vol. 83, N 1. P. 103–119.

Ide V., Nishikawa H. In vitro propagation of *Betula schmidtii* from germinated seedlings // Bull. Tokyo Univ. Forests. 1993. N 89. P. 163–169.

Isidorov V., Jaroszynska J., Krajewska U. et al. GC and GC-MS Investigation of Extractive Components of Birch Buds // 32nd Intern. Symp. on Essential Oils. Wroclaw, 2001. P. 54.

Івченко I. C., Панасенко Т. І. Сезонна мінливість ізоформ пероксидаз у деяких видів *Euonymus* L. і *Betula* L. // Укр. Ботан. ж. 1979. Т. 36, № 6. С. 542–546.

Jakuszewski T. Stanowisko brzozy czeczotowej w Gorcach // Las polski. 1966. Vol. 40, N 15–16. S. 26–27.

Jakuszewski T. Nowe stanowisko brzozy czeczotowej *Betula verrucosa* Ehrh. var. *carellica* K. Merlin w Beskidzie Sadeckim // Roczn. Sek. Dendrol. PTB. 1970. Vol. 24. S. 31–33.

Jakuszewski T. Badania, zmienności i dziedziczności populacji brzozy karelskiej z Gorców // Arboretum Kórnickie. 1973. N 18. S. 35–81.

Jansson E., Welander M. Micropropagation of some adult *Betula* species // Report 55. Swedish Univ. of Agric. Sci. Dep. of Hort. Sci. 1990. 20 s.

Järvinen P., Palmé A., Morales L. O. et al. Phylogenetic relationships of *Betula* species (*Betulaceae*) based on nuclear ADH and chloroplast *matK* sequences // Amer. J. Bot. 2004. Vol. 91, N 1. P. 1834–1845.

Johnsson H. Studies of birch species hybrids. I. *Betula verrucosa* × *B. japonica*, *B. verrucosa* × *B. papirifera* and *B. pubescens* × *B. papirifera* // *Hereditas*. 1949. Vol. 35. P. 115–135.

Johnsson H. Avkommor av masurbjörk // *Svenska Skogsvf. Tidskr.* 1951. Vol. 49, N 1. S. 34–45.

Johnsson H. Genetic characteristics of *Betula verrucosa* Ehrh. and *Betula pubescens* Ehrh. // *Anal. sumarstvo*. 1974. N 4. P. 91–133.

Jokinen K., Törmälä T. Micropropagation of silver birch (*Betula pendula* Roth) and clonal fidelity of mass propagated birch plants // *Woody Plant Biotechnology*. N. Y., 1991. P. 31–36.

Jokinen K., Törmälä T., Virta U. Clonal fidelity of mass propagated silver birch (*Betula pendula* Roth) // *IUFRO Somatic cell genetics Working Party S2-04-07 and NATO Adv. Res. Worksh: Woody plant biotechnology*. Placerville, CA, 1989. P. 6.

Jokinen K. J., Honkanen J., Seppänen P., Törmälä T. Biotechnology of the silver birch (*Betula pendula* Roth) // *Agro Industry Hi-Tech*, 1991. P. 23–26.

Jones A. G. Environmental effects on the percentage of stainable and presumed normal pollen in Aster (*Compositae*) // *Amer. J. Bot.* 1976. Vol. 63. P. 657–663.

Kosonen M., Leikola M., Hagqvist R. et al. Visakoivu. Curly Birch. *Metsälehti Kustannus*, 2004. 208 s.

Kulju K. K. M., Pekkinen M., Varvio S. Twenty-three microsatellite primer pairs for *Betula pendula* (*Betulaceae*) // *Mol. Ecol. Notes*. 2004. Vol. 4. P. 471–473.

Laadi M. Regional variations in the pollen seasons of *Betula* in Burgundy: two models for predicting the start of the pollination // *Aerobiologia*. 2001. Vol. 17. P. 247–254.

Larsen C. M. Masurbirk. Rejseberetning – Masurbirk i Finland – Materialet i arboretet // *Dansk Skovforen. Tidsskr.* 1940. Vol. 25. S. 33–72.

Lee B. C., Kim J. H., Park J. I., Suck S. K. L. Rapid micropropagation of *Betula* spp. through *in vitro* tissue culture // *Res. Rep. Inst. For. Gen. Korea*. 1986. Vol. 22. P. 132–138.

Li J., Shoup S., Chen Z. Phylogenetics of *Betula* (*Betulaceae*) inferred from sequences of nuclear ribosomal DNA // *Rhodora*. 2005. Vol. 107. P. 69–86.

Lindquist B. Genetics in Swedish forestry practice // *Svenska Skogsvardsforeningens Forlag*. Stockholm, 1948.

Lindquist B. Forstgenetik in der schwedischen Waldbaupraxis. 1954. N 2. S. 89–108.

Linsmaier E. M., Skoog F. Organic growth factor requirements of tobacco tissue cultures // Physiol. Plant. 1965. Vol. 18. P. 100–127.

Lloyd G., McCown B. Commercially-feasible micropropagation of mountain laurel, *Kalmia latifolia*, by use of shoot-tip culture // Comb. Proc. Intern. Plant Propagators Soc. 1981. Vol. 30. P. 421–427.

Loverine P. T. Pollen germination and tube growth // Ann. Rev. Plant Physiol. and Plant Mol. Biol. 1997. Vol. 48. P. 461–491.

Lyons J. M. Chilling injury in plants // Ann. Rev. Plant Physiol. 1973. Vol. 24. P. 445–466.

Martinsson O. Odling av masurbjörk – en utvecklad nisch för svenska skogsbruk // Fakta Skog. 1995. N 11. 4 s.

Martinsson O. Masurbjörk: Odling, produktion och virkesanvändning // Konferens och exkursion i Solviken. Tranås, 1998. Arbetsrapporter 150. Umeå, 2000. 21 s.

Martinsson O., Vetchinnikova L. Management, reproduction and protection of Karelian birch in Fennoscandia // Intern. Conf.: Biological basis of the study, management and protection of flora, fauna and the cover in Eastern Fennoscandia. Petrozavodsk, 1999. P. 64–65.

Matschke J., Ewald D., Bolland G., Schneck H. Möglichkeiten der beschleunigten Vermehrung von Braunmäserbirken // Beitr. Forstwirtschaft. 1987a. Bd. 21, N 1. S. 21–25.

Matschke J., Ewald D., Kohlstock N. Einbeziehung der Biotechnologie in die strategie der Forstpflan-Zenzuchtung // Beitr. Forstwirtschaft. 1987b. Bd. 21, N 2. S. 55–58.

McCown B. Birch (*Betula* spp.) // Biotechnology in Agriculture and Forestry / Ed. by Y. P. S. Bajaj. Vol. 5: Trees II. Berlin, 1989. P. 324–341.

McCown B., Amos R. Initial trials with commercial micropropagation of birch selections // Comb. Proc. Intern. Plant Propagators Soc. 1979. Vol. 29. P. 387–393.

McCown D., McCown B. North American hardwoods // Cell and tissue culture in Forestry. 1987. Vol. 3. P. 247–260.

McNeill J., Barrie F. R., Buck W. R. et al. International Code of Nomenclature for algae, fungi, and plants (Melbourne Code), Adopted by the Eighteenth International Botanical Congress Melbourne, Australia, July 2011. Bratislava, 2012. 240 p.

Meier-Dinkel A. Micropropagation of birches (*Betula* spp.) // Biotechnology in Agriculture and Forestry / Ed. by Y. P. S. Bajaj. Vol. 18: High-Tech and Micropropagation II. Berlin, 1992. P. 40–81.

Mejnartowicz L. Genetyka // Brzozy – *Betula* L. Warszawa; Poznań, 1979. S. 219–264.

Mikkela H. Guide to the Montell Trail in the Punkaharju Experimental Area // The Finnish Forest Research Institute. Helsinki, 1992. P. 27.

Minocha S. C., Noh E. W., Kausch A. P. Tissue culture and genetic transformation in *Betula papyrifera* and *Populus tremuloides* // Research and development conf. Atlanta, 1986. P. 89–92.

Mulcahy D. L., Mulcahy G. B. The effect of pollen competition // Amer. Sci. 1987. Vol. 75. P. 44–50.

Murashige T., Skoog F. A revised medium for rapid growth and bioassays with tobacco cultures // Physiol. Plant. 1962. Vol. 15. P. 437–497.

Nagamitsu T., Kawahara T., Kanazashi A. Pollen-limited production of viable seeds in an endemic dwarf birch, *Betula apoiensis*, and incomplete reproductive barriers to a sympatric congener, *B. ermanii* // Biol. Conservation. 2006. Vol. 129. P. 91–99.

Natho G. Variationsbreite und Bestraßbildung bei mitteleuropäischen Birkensippen // Feddes Repert. Spec. nov. regni veget. 1959. Bd. 61, N 3. S. 211–273.

Natho G. Stand and Problematic der *Betula* – Taxonomie in Mitteleuropa // Biol. Zbl. 1964. Bd. 83, N 2. S. 189–195.

Nei M. Molecular population genetics and evolution. Amsterdam. 1975. 278 p.

Niemistö P., Viherä-Aarnio A., Velling P. et al. Koivun karvatus ja käyttö. Hämeenlinna, 2008. 254 s.

Nordiska museets och Skansens årsbok 1932 / Red. A. Lindblom, G. Berg, S. Svensson. Stockholm, 1932. S. 297–300.

Ogyu K., Tsuda Y., Sugaya T. et al. Identification and characterization of microsatellite loci in *Betula maximowicziana* Regel // Molecular Ecology Notes. 2003. Vol. 3. P. 268–269.

Pabirushka V. Curly birch in Belarus: spread, variability, use // Masurbjörk. Odling, produktion och virkesanvändning / Ed. by O. Martinsson. Arbetsrapporter 150. Bilaga. Umeå, 2000. 7 s.

Pagan J., Paganová V. Breza biela svalcovitá (*Betula alba* L. var. *carellica* Merk.) na Slovensku // Zvolen. 1994. N 10. 75 s.

Paganová V. Analysis of Inheritance and Growth of Curly Birch Progenies from Controlled Hybridisation and Possibilities of their Utilisation for Timber Production in Agricultural Landscape // Czech. J. Genet. Plant Breed. 2004. Vol. 40, N 2. P. 51–62.

Paganová V., Pagan J. Present value and perspective of the curly birch growing in Slovakia // Structural and Functional Deviations from Normal Growth and Development of Plants Under the Influence of Environmental Factors: Material of Intern. Conf. Petrozavodsk, 2011. P. 241–245.

Pasonen H.-L., Käpylä M., Pulkkinen P. Effects of temperature and pollination site on pollen performance in *Betula pendula* Roth – evidence for genotype-environment interactions // Theor. Appl. Genet. 2000. Vol. 100. P. 1108–1112.

Pasonen H.-L., Pulkkinen P., Käpylä M. Do pollen donors with fastest-growing pollen tubes sire the best offspring in an anemophilous tree, *Betula pendula* (*Betulaceae*)? // Amer. J. Bot. 2001. Vol. 88. P. 854–860.

Pasonen H.-L., Pulkkinen P., Kärkkäinen K. Genotype-environment interactions in pollen competitive ability in an anemophilous tree, *Betula pendula* Roth // Theor. Appl. Genet. 2002. Vol. 105. P. 465–473.

Pätiälä R. V. Pirun puristama visakoivu // Suomen Luonto. 1980. Vol. 39, N 1. S. 3–5.

Perez C. R., Postigo P. Procédé de rajeunissement complet *in vitro* préalable à la micropropagation d'arbres adultes ou agés sélectionnés: Заявка 2626285 Франция. МКИ4 C 12 5/00/ Fouret Yolande; Fouret Y. № 8800673. Заявл. 22.01.88; Опубл. 28.07.89.

Pietarinen P., Pasonen H.-L. Pollen performance and male fitness in an anemophilous, monoecious tree, *Betula pendula* // Can. J. Bot. 2004. Vol. 82. S. 1284–1291.

Pork K., Sander R. Maarajkase levikust Lääne-Eestis // Eesti loodus. 1973. N 6. S. 332–335.

Raulo J. Netijän visakoivikon päätehakkun tuoyos ja toutto // Silva Fenn. 1980. Vol. 12. P. 245–252.

Raulo J., Sirén G. Neljän visakoivikon päätehakkuun tuotos ja tuotto // Silva Fenn. 1978. Vol. 12, N 4. S. 245–252.

Regel E. Bemer Kungen über die Gattungen *Betula* und *Alnus* nebst Beschreibung einiger neuer arten // Bull. Soc. Nature. Mosquae. 1865. Bd. 38, N 4. S. 388–434.

Roy A., Frascaria N., MacKay J., Boysquet J. Segregating Random Amplified Polymorphic DNAs (RAPDs) in *Betula alleghaniensis* // Theor. Appl. Genet. 1992. Vol. 85. P. 173–180.

Ruden T. Om valbjørk og endel andre unormale veddannelser hos bjørk // Medd. Foren. Det. Norske Skogforsøksv. 1954. Vol. 43. S. 451–505.

Ryynänen L. Rauduskoivun (*Betula pendula*) kloonaus // Sorbifolia. 1987. Vol. 18, N 3. S. 109–114.

Ryynänen L. Cloning of *Betula pendula* and *Betula pubescens* by means of tissue culture // Bull. Finn. Forest Res. Inst. 1988. N 304. P. 24–30.

Ryynänen L., Ryynänen M. Propagation of adult curly birch succeeds with tissue culture // Silva Fenn. 1986. Vol. 20, N 2. P. 139–147.

Ryynänen L., Viherä-Aarnio A. Mikrolisätyt koivut-siemenviljelysten tulevaisuus? // Metsäntutkimus laitoksen tiedonantoja. 1994. Vol. 525. S. 75–83.

Saarnijoki S. Visan arvoitus valkenemassa // Metsalehti. 1944. N 5.

Saarnio R. Viljeltyjen visakoivikoiden laatu ja kehitys Etelä-Suomessa // Folia Forestalia. 1976. N 263. S. 3–28.

Saarnio R. Visakoivu – vuoden puu // Dendrologian seuran tiedotuksia. 1980. Vol. 11, N 1. S. 4–14.

Saito A., Ide Y. In vitro plantlet regeneration from adventitious buds induced on cuttings of peeled twigs of Japanese white birch // J. Jap. For. Soc. 1985a. Vol. 67, N 7. P. 282–284.

Saito A., Ide Y. In vitro plantlet regeneration from adventitious buds induced by petiole culture in Japanese white birch // J. Jap. For. Soc. 1985b. Vol. 67, N 9. P. 373–375.

Särkilahti E. Micropropagation of a mature colchicine-polyplloid and irradiation-mutant of *Betula pendula* Roth // Tree Physiol. 1988. N 4. P. 173–179.

Sarvas R. Visakoivikon perustaminen ja hoito // Metsätal. Aikakauslehti. 1966. Vol. 83, N 8. S. 331–333.

Sato T. Basic studies of organ and callus culture in woody plants // Bull. For. Forest Prod. Res. Inst. 1991. N 360. P. 35–119.

Sato T., Ide Y., Saito A. Tissue culture technology in the rapid clonal propagation of Japanese white birch // J. Jap. For. Soc. 1986. Vol. 68, N 8. P. 343–346.

Scholz E. Die vegetative Vermehrung der Braunmäserbirke // Forst und Jagdz. Sondern. «Forstl. Samenplantagen». 1960. Bd. II. S. 52–55.

Scholz E. Das Verbreitungsgebiet der Braunmäserbirke // Arch. Forstwesen. 1963a. Bd. 12, N 12. S. 1243–1253.

Scholz E. Die rationelle Bewirtschaftung der Birke // Sozialistische Forstwirtschaft. 1963b. Bd. 13, N 12. S. 362–367.

Sibul I., Habicht K.-L., Ploomi A. Curly birch stands and cultivation results in Estonia // Structural and Functional Deviations from Normal Growth and Development of Plants Under the Influence of Environmental Factors: Material of Intern. Conf. Petrozavodsk, 2011. P. 310–313.

Simola L. K. Nitrogen metabolism of leaf and microspore callus of *Betula pendula* // Primary and secondary metab. plant cell cult. 1985a. P. 74–84.

Simola L. K. Propagation of plantlets from leaf callus of *Betula pendula* f. *purpurea* // Sci. Hort. 1985b. Vol. 26, N 1. P. 77–85.

Srivastava P. S., Steinhauer A., Glock H. Plantlet differentiation in leaf and root cultures of birch (*Betula pendula* Roth) // Plant Sci. 1985. Vol. 42, N 3. P. 209–214.

Staden J., Zazimalova E., George E. F. Plant growth regulators II: Cytokinins, their analogues and antagonist // Plant Propagation by Tissue Culture / Eds.

E. F. George, M. Hall, G. J. De Kleck. Vol. 1. The Background. Netherlands, 2008. P. 205–226.

Struve D. K., Lineberger R. D. Restoration of high adventitious root regeneration potential in mature *Betula papyrifera* Marsh. softwood stem cuttings // Can. J. For. Res. 1988. Vol. 18. P. 265–269.

Svoboda P. Lesní dřeviny a jejich porosity. III. Praha: Státní zemědělské nakladatelství, 1957. 457 s.

Teusan A. Auf der Suche nach fichtengerechten Verbißschutzverfahren mit chemischen Mitteln // Forstpflanz. Forstsam. 1983. Bd. 23, N 3. S. 53–55.

Vaarama A., Valanne T. On the taxonomy, biology and origin of *Betula tortuosa* Ledeb. // Reports from the Kevo Subarctic Research Station. 1973. N 10. P. 70–94.

Václav E. Rozšíření, vlastnosti a pěstování svalcovité břízy v ČSSR // Přírodovědecký časopis slezský. 1961. Sv. 22, N 2. S. 151–171.

Václav E. Utilization of technical forms of trees as exemplified by Birch // Lesn. Pr. 1963. Vol. 42, N 9. P. 402–405.

Václav E., Kučera B., Rezàbkowà J. Anatomické fyzikální a mechanické znaky a vlastnosti dreva svalcovité, ockové a plamenne brizy // Sb. Ved. lesn. ústavu VSZ Praze. 1969. Sv. 12, N 11. S. 111–127.

Vailionis L. Lietuvos berzu rėta. Referat: Die Wisakrankheit in den Wäldern Litauens // Scr. Hort. bot. Univ. Kaunas. 1935. Vol. 3. S. 5–36.

Valanne T. Colchicine effects and colchicine induced polyploidy in *Betula* // Ann. Acad. Sci. Fenn. A. Ser. Biol. 1972. Vol. 191. P. 23–24.

Vesterinen E. Hat die Maserbirke Zukunft in Europa? // Schweiz. Ztschr. Forstwesen. 1957. Bd. 108, N 2. S. 110–112.

Vesterinen E. Onko visapuulla tulevaisuutta? // Metsät. Aikak. 1966. Vol. 83, N 8. S. 334–335.

Vetchinnikova L. V. To the problem of form diversity of curly birch // Biodiversity of Fennoscandia (diversity, human impact, nature conservation). Petrozavodsk, 1997. P. 35.

Viherä-Aarnio A., Ryynänen L. Growth, crown structure and seed production of birch seedlings, grafts and micropropagated plants // Silva Fenn. 1995. Vol. 29, N 1. P. 3–12.

Viherä-Aarnio A., Heikkilä R. Effect of the latitude of seed origin on moose (*Alces alces*) browsing on silver birch (*Betula pendula*) // Forest Ecol. Manage. 2006. N 229. P. 325–332.

Viherä-Aarnio A., Velling P. Micropropagated silver birches (*Betula pendula*) in the field – performance and clonal differences // Silva Fenn. 2001. Vol. 35, N 4. P. 385–401.

Wallin A., Montalba F. *In vitro* propagation of curly birch (*Betula pendula* Roth f. *carelica*) // VI Intern. congr. of plant tissue and cell culture. Minnesota, 1986. P. 402.

Welander M. Biochemical and anatomical studies of birch (*Betula pendula* Roth) buds exposed to different climatic conditions in relation to growth *in vitro* // Genetic manipulation of woody plants. Basic life sciences. 1988. Vol. 44. P. 79–99.

Welander M. Micropropagation of birch // Micropropagation of Woody Plants / Ed. by M. R. Ahuja, 1993. P. 223–246.

Welander M. Influence of environment, fertilizer and genotype on shoot morphology and subsequent rooting of birch cuttings // Tree Physiol. 1995. N 15. P. 11–18.

Welsh J. R., Klatt A. R. Effects of temperature and photoperiod on spring wheat pollen viability // Crop. Sci. 1971. Vol. 11. P. 864–865.

Welsh J., McClelland M. Fingerprinting genomes using PCR with arbitrary primers // Nucl. Acids Res. 1990. Vol. 18. P. 7213–7218.

Zeng J., Zou Y., Bai J., Zheng H. RAPD analysis of genetic variation in natural populations of *Betula alnoides* from Guangxi, China // Euphytica. 2003a. Vol. 134, N 1. P. 33–41.

Zeng J., Wang Z., Zhou S. et al. Allozyme Variation and Population Genetic Structure of *Betula alnoides* from Guangxi, China // Biochem. Genet. 2003b. Vol. 41, N 3–4. P. 61–75.